| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|-----------------------|------------------|
| 4 | 16854 | authenticat\$3 near (user or addressee or client or receiv\$3 or | USPAT; | 2004/06/08 16:19 |
| | | recipient or payee) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 2792 | (authoritizate) was (upor or addresses or alient or respine) | IBM_TDB | 2004/06/09 46:20 |
| 5 | 3782 | (authenticat\$3 near (user or addressee or client or receiv\$3 or recipient or payee)) and @ad<19990610 | USPAT; US-PGPUB; | 2004/06/08 16:20 |
| | | or recipient or payee // and @ad \ 199900 fo | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 6 | 394 | ((authenticat\$3 near (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 16:20 |
| | | or recipient or payee)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or | EPO; JPO; | |
| | | transfer\$4)) | DERWENT; | |
| _ | | | IBM_TDB | 0004/00/00 45 04 |
| 7 | 282 | (((authenticat\$3 near (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 15:31 |
| | | or recipient or payee)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or transfer\$4))) and ((secur\$3 near (deliver\$3 or transmit\$5 or | EPO; JPO; DERWENT; | |
| | | transmission or send\$3 or transfer\$4)) with (information or | IBM_TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3)) | 15155 | |
| 8 | 267 | ((((authenticat\$3 near (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 15:32 |
| | | or recipient or payee)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or | EPO; JPO; | |
| | | transfer\$4))) and ((secur\$3 near (deliver\$3 or transmit\$5 or | DERWENT; | |
| | | transmission or send\$3 or transfer\$4)) with (information or | IBM_TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3))) and | | |
| | | ((deliver\$3 or transmit\$5 or transmission or send\$3 or transfer\$4) near1 (information or data or document or | | |
| | | messag\$3 or packag\$3 or mail\$3)) | | |
| 9 | 267 | ((((authenticat\$3 near (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 16:21 |
| | | or recipient or payee)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or | EPO; JPO; | |
| | | transfer\$4))) and ((secur\$3 near (deliver\$3 or transmit\$5 or | DERWENT; | |
| | | transmission or send\$3 or transfer\$4)) with (information or | IBM_TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3))) and ((deliver\$3 or transmit\$5 or transmission or send\$3 or | | |
| | | transfer\$4) near (information or data or document or | | |
| | | messag\$3 or packag\$3 or mail\$3)) | | |
| 10 | 76 | (((((authenticat\$3 near (user or addressee or client or | USPAT; | 2004/06/08 16:21 |
| | | receiv\$3 or recipient or payee)) and @ad<19990610) and | US-PGPUB; | |
| | | (secur\$3 near (deliver\$3 or transmit\$5 or transmission or | EPO; JPO; | |
| | | send\$3 or transfer\$4))) and ((secur\$3 near (deliver\$3 or | DERWENT; | |
| | | transmit\$5 or transmission or send\$3 or transfer\$4)) with | IBM_TDB | |
| | | (information or data or document or messag\$3 or packag\$3 | | |
| | | or mail\$3))) and ((deliver\$3 or transmit\$5 or transmission or send\$3 or transfer\$4) near (information or data or document | | |
| | | or messag\$3 or packag\$3 or mail\$3))) and (public near1 | | |
| | | (user or addressee or client or receiv\$3 or recipient or | | |
| | | payee)) | | |
| 11 | 11 | ((((((authenticat\$3 near (user or addressee or client or | USPAT; | 2004/06/08 16:22 |
| | | receiv\$3 or recipient or payee)) and @ad<19990610) and | US-PGPUB; | |
| | | (secur\$3 near (deliver\$3 or transmit\$5 or transmission or | EPO; JPO; | |
| | | send\$3 or transfer\$4))) and ((secur\$3 near (deliver\$3 or transmit\$5 or transmission or send\$3 or transfer\$4)) with | DERWENT; IBM_TDB | |
| | | (information or data or document or messag\$3 or packag\$3 | 10141_100 | |
| | | or mail\$3))) and ((deliver\$3 or transmit\$5 or transmission or | 1 | • |
| | | send\$3 or transfer\$4) near (information or data or document | | |
| | | or messag\$3 or packag\$3 or mail\$3))) and (public near1 | | |
| , | | (user or addressee or client or receiv\$3 or recipient or | | |
| | | payee))) and ((determin\$3 or check\$3 or find\$3 or figur\$3 or | | |
| | | retriev\$3 or discover\$3) near1 public) | | |

| 12 | 10421 | authenticat\$3 adj1 (user or addressee or client or receiv\$3 or | USPAT; | 2004/06/08 16:29 |
|----|-------|---|---------------------|------------------|
| | | recipient or payer) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 13 | 2154 | (authenticat\$3 adj1 (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 16:20 |
| | | or recipient or payer)) and @ad<19990610 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 14 | 260 | ((authenticat\$3 adj1 (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 16:20 |
| | | or recipient or payer)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or | EPO; JPO; | |
| | | transfer\$4)) | DERWENT; | |
| | | | IBM_TDB | |
| 15 | 237 | (((authenticat\$3 adj1 (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 16:34 |
| | | or recipient or payer)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or | EPO; JPO; | |
| | | transfer\$4))) and ((deliver\$3 or transmit\$5 or transmission or | DERWENT; | |
| | | send\$3 or transfer\$4) near (information or data or document | IBM_TDB | |
| | | or messag\$3 or packag\$3 or mail\$3)) | | |
| 16 | 65 | ((((authenticat\$3 adj1 (user or addressee or client or receiv\$3 | USPAT; | 2004/06/08 16:22 |
| | | or recipient or payer)) and @ad<19990610) and (secur\$3 | US-PGPUB; | |
| | | near (deliver\$3 or transmit\$5 or transmission or send\$3 or | EPO; JPO; | |
| | | transfer\$4))) and ((deliver\$3 or transmit\$5 or transmission or | DERWENT; | |
| | | send\$3 or transfer\$4) near (information or data or document | IBM_TDB | |
| | | or messag\$3 or packag\$3 or mail\$3))) and (public near1 | | |
| 47 | | (user or addressee or client or receiv\$3 or recipient or payer)) | LICDAT. | 0004/00/00 40:00 |
| 17 | 9 | (((((authenticat\$3 adj1 (user or addressee or client or | USPAT; | 2004/06/08 16:23 |
| | İ | receiv\$3 or recipient or payer)) and @ad<19990610) and | US-PGPUB; | |
| | | (secur\$3 near (deliver\$3 or transmit\$5 or transmission or | EPO; JPO; | |
| | | send\$3 or transfer\$4))) and ((deliver\$3 or transmit\$5 or transmission or send\$3 or transfer\$4) near (information or | DERWENT; IBM_TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3))) and | I IDINI_I DB | |
| | | (public near1 (user or addressee or client or receiv\$3 or | | |
| | | recipient or payer))) and ((determin\$3 or check\$3 or find\$3 or | | |
| | | figur\$3 or retriev\$3 or discover\$3) adj1 public) | | |
| 18 | 16 | (((((authenticat\$3 adj1 (user or addressee or client or | USPAT; | 2004/06/08 16:32 |
| 10 | | receiv\$3 or recipient or payer)) and @ad<19990610) and | US-PGPUB; | 2004/00/00 10:32 |
| | | (secur\$3 near (deliver\$3 or transmit\$5 or transmission or | EPO; JPO; | |
| | | send\$3 or transfer\$4))) and ((deliver\$3 or transmit\$5 or | DERWENT; | - 3 |
| | | transmission or send\$3 or transfer\$4) near (information or | IBM_TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3))) and | .s.m_ , s | |
| | | (public near1 (user or addressee or client or receiv\$3 or | | |
| | | recipient or payer))) and (notifying adj1 (user or addressee or | | |
| | | client or receiv\$3 or recipient or payer)) | | |
| 19 | 48 | ((((((authenticat\$3 adj1 (user or addressee or client or | USPAT; | 2004/06/08 16:33 |
| | | receiv\$3 or recipient or payer)) and @ad<19990610) and | US-PGPUB; | |
| | | (secur\$3 near (deliver\$3 or transmit\$5 or transmission or | EPO; JPO; | |
| | | send\$3 or transfer\$4))) and ((deliver\$3 or transmit\$5 or | DERWENT; | |
| | | transmission or send\$3 or transfer\$4) near (information or | IBM_TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3))) and | _ | |
| • | | (public near1 (user or addressee or client or receiv\$3 or | | |
| | | recipient or payer))) and ((notifying or notification or message | | |
| | | or inform\$3) adj1 (user or addressee or client or receiv\$3 or | | |
| | 1 | recipient or payer)) | | |

| 20 | 2 | ((((((authenticat\$3 adj1 (user or addressee or client or | USPAT; | 2004/06/08 16:35 |
|----|---|--|-----------|------------------|
| | | receiv\$3 or recipient or payer)) and @ad<19990610) and | US-PGPUB; | |
| | | (secur\$3 near (deliver\$3 or transmit\$5 or transmission or | EPO; JPO; | |
| | | send\$3 or transfer\$4))) and ((deliver\$3 or transmit\$5 or | DERWENT: | |
| | | transmission or send\$3 or transfer\$4) near (information or | IBM TDB | |
| | | data or document or messag\$3 or packag\$3 or mail\$3))) and | - | |
| | | (public near1 (user or addressee or client or receiv\$3 or | | |
| | | recipient or payer))) and ((notifying or notification or message | | |
| | | or inform\$3) adj1 (user or addressee or client or receiv\$3 or | | |
| | | recipient or payer))) and ((stor\$3 or sav\$3) near (encrypted | | ŀ |
| | | adj (information or data or document or messag\$3 or | | |
| | | packag\$3 or mail\$3))) | | |